

Refine Search

Search Results -

Terms	Documents
L58 and L60	26

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L61

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, September 26, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L61</u>	L58 and L60	26	<u>L61</u>
<u>L60</u>	((attribute near value) or (name near value) or (key near value)) with (response))	1052	<u>L60</u>
<u>L59</u>	((attribute near value) or (name near value) or (key naer value)) with (response))	221439	<u>L59</u>
<u>L58</u>	L56 and L57	186	<u>L58</u>
<u>L57</u>	((attribute and value) or (name and value) or (key and value)) with (response))	9337	<u>L57</u>
<u>L56</u>	(modif\$6 or chang\$3 or alter\$3) near propert\$3	60161	<u>L56</u>
<u>L55</u>	propert\$3 with server adj object	54	<u>L55</u>
<u>L54</u>	6108715.ccls.	0	<u>L54</u>
<u>L53</u>	20020032783	2	<u>L53</u>
<u>L52</u>	L46 and L51	2	<u>L52</u>

<u>L51</u>	propert\$3 with hash\$3	795	<u>L51</u>
<u>L50</u>	L46 and L20	0	<u>L50</u>
<u>L49</u>	L46 and L24	0	<u>L49</u>
<u>L48</u>	L46 and L47	4	<u>L48</u>
<u>L47</u>	configur\$3 with propert\$3	7730	<u>L47</u>
<u>L46</u>	L44 and L45	105	<u>L46</u>
<u>L45</u>	((attribute and value) or (name and value) or (key and value)) with (conver\$6))	9764	<u>L45</u>
<u>L44</u>	L36 and L43	1489	<u>L44</u>
<u>L43</u>	L40 or L41 or L42	20693	<u>L43</u>
<u>L42</u>	(715/501.1).ccls.	1121	<u>L42</u>
<u>L41</u>	(719/316).ccls.	433	<u>L41</u>
<u>L40</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/208 709/209 709/210 709/211 709/212 709/213 709/214 709/215 709/216 709/217 709/218 709/219).ccls.	19440	<u>L40</u>
<u>L39</u>	L30 and L36	31	<u>L39</u>
<u>L38</u>	L26 and L37	0	<u>L38</u>
<u>L37</u>	((attribute and value) or (name and value) or (key and value)) with (final near response))	0	<u>L37</u>
<u>L36</u>	((attribute and value) or (name and value) or (key and value)) with (request or response))	17332	<u>L36</u>
<u>L35</u>	L30 and L24	0	<u>L35</u>
<u>L34</u>	L30 and L33	6	<u>L34</u>
<u>L33</u>	(handler with ((attribute and value) or (name and value) or (key and value)))	463	<u>L33</u>
<u>L32</u>	(handler with ((attribute and value) or (name and value) or (key and value)) near pairs)	1	<u>L32</u>
<u>L31</u>	((configur\$5 near handler) with ((attribute and value) or (name and value) or (key and value)) near pairs)	0	<u>L31</u>
<u>L30</u>	(propert\$3 with dictionary)	608	<u>L30</u>
<u>L29</u>	(propert\$3 with ((attribute and value) or (name and value) or (key and value)) near pairs)	26	<u>L29</u>
<u>L28</u>	propert\$3 adj object with hash\$3	7	<u>L28</u>
<u>L27</u>	L24 and L26	0	<u>L27</u>
<u>L26</u>	propert\$3 adj object	6373	<u>L26</u>
<u>L25</u>	L19 and L24	1	<u>L25</u>
<u>L24</u>	((stor\$3 or sav\$3) near (partial near result))	270	<u>L24</u>
<u>L23</u>	((stor\$3 or sav\$3) near (partial near result) with propert\$3)	0	<u>L23</u>
<u>L22</u>	20020103934	2	<u>L22</u>
<u>L21</u>	L19 and L20	8	<u>L21</u>
<u>L20</u>	(chain\$3 or interior) with handler	770	<u>L20</u>
<u>L19</u>	request adj object	3167	<u>L19</u>
<u>L18</u>	L16 and L17	5	<u>L18</u>
<u>L17</u>	(instantiat\$3 or creat\$3) near handler	428	<u>L17</u>

<u>L16</u>	(chain\$3 or interior) near handler	118	<u>L16</u>
<u>L15</u>	l13 and L14	28	<u>L15</u>
<u>L14</u>	(attribute or name or key) near value	29471	<u>L14</u>
<u>L13</u>	((stor\$3 or sav\$3) near (response or result)) with propert\$3	305	<u>L13</u>
<u>L12</u>	((stor\$3 or sav\$3) near response or result)	5060818	<u>L12</u>
<u>L11</u>	6757900.pn.	2	<u>L11</u>
<u>L10</u>	6757900.ccls.	0	<u>L10</u>
<u>L9</u>	propert\$3 with (attribute near value near pair)	27	<u>L9</u>
<u>L8</u>	l4 and L7	1	<u>L8</u>
<u>L7</u>	partial with (result or response)	65467	<u>L7</u>
<u>L6</u>	l4 and L5	1	<u>L6</u>
<u>L5</u>	partial near (result or response)	17852	<u>L5</u>
<u>L4</u>	propert\$3 with (name near value near pair)	258	<u>L4</u>
<u>L3</u>	l1 and L2	9	<u>L3</u>
<u>L2</u>	handler adj object	403	<u>L2</u>
<u>L1</u>	propert\$3 near name near value	484	<u>L1</u>

END OF SEARCH HISTORY